

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
1	18386	((verif\$8 or check\$4 or determin\$6 or detect\$4)near3 tim\$4)with clock	USPAT; US-PGPUB; IBM_TDB	2004/09/14 13:34
2	50	((verif\$8 or check\$4 or determin\$6 or detect\$4)near3 tim\$4)adj6 (guard or select))with clock	USPÄT; US-PGPUB; IBM_TDB	2004/09/14 13:45
3	7223	(communicat\$5 near6 (device near4 controller))	USPÄT; US-PGPUB; IBM_TDB	2004/09/14 13:47
4	1	((communicat\$5 near6 (device near4 controller))) same (verif\$8 near3 tim\$4)	USPÄT; US-PGPUB; IBM_TDB	2004/09/14 13:47
5	94	((communicat\$5 near6 (device near4 controller))) and (verif\$8 near3 tim\$4)	USPÄT; US-PGPUB; IBM_TDB	2004/09/14 13:48
6	1	((communicat\$5 near6 (device near4 controller))) and ((verif\$8 near3 tim\$4)adj6 analysis)	USPÄT; US-PGPUB; IBM_TDB	2004/09/14 13:48
7	1	((communicat\$5 near6 (device near4 controller))) and (verif\$8 near3 tim\$4)) and (analysis near4 clock)	USPÄT; US-PGPUB; IBM_TDB	2004/09/14 13:49
8	76	((tim\$4 adj5 analysis) adj4 clock)	USPÄT; US-PGPUB; IBM_TDB	2004/09/14 13:52
9	1	((tim\$4 adj5 analysis) adj4 clock)) and (communicat\$7 near4 ((device or apparatus)near6 controller))	USPÄT; US-PGPUB; IBM_TDB	2004/09/14 13:51
10	2	((tim\$4 adj5 analysis) adj4 clock)) and ((device or apparatus)near6 controller))	USPÄT; US-PGPUB; IBM_TDB	2004/09/14 13:52
11	17	((tim\$4 adj5 analysis) adj4 clock)	EPO; JPO; DERWENT	2004/09/14 13:55
12	0	((tim\$4 adj5 analysis) adj4 clock)) and ((device or apparatus)same controller))	EPO; JPO; DERWENT	2004/09/14 13:52
13	6	((tim\$4 adj5 analysis) adj4 clock)) and ((device or apparatus)same controller))	USPAT; US-PGPUB; IBM_TDB	2004/09/14 13:52
14	0	((tim\$4 adj5 analysis) with (reference adj3 clock))	EPO; JPO; DERWENT	2004/09/14 13:55
15	9	((tim\$4 adj5 analysis) with (reference adj3 clock))	USPAT; US-PGPUB; IBM_TDB	2004/09/14 13:59
17	0	((guard near2 signal)near6 clock) and ((tim\$4 adj5 analysis) with (reference adj3 clock))	USPÄT; US-PGPUB; IBM_TDB	2004/09/14 14:00
18	1	((guard near2 signal)near6 clock) and ((tim\$4 adj5 analysis))	USPÄT; US-PGPUB; IBM_TDB	2004/09/14 14:00
19	1	((guard near2 signal)near6 clock) and ((tim\$4 near4 analysis))	USPÄT; US-PGPUB; IBM_TDB	2004/09/14 14:01
20	27	((guard near2 signal)near6 clock) and ((tim\$4))	USPAT; US-PGPUB; IBM_TDB	2004/09/14 14:01
16	28	(guard near2 signal)near6 clock	USPÄT; US-PGPUB; IBM_TDB	2004/09/14 14:06
21	20752	713/\$.ccls.	USPÄT; US-PGPUB; IBM_TDB	2004/09/14 14:06
22	2	713/\$.ccls. and ((guard near2 signal)near6 clock)	USPÄT; US-PGPUB; IBM_TDB	2004/09/14 14:08
23	15	713/\$.ccls. and (guard near6 clock)	USPÄT; US-PGPUB; IBM_TDB	2004/09/14 14:10
24	70	713/\$.ccls. and ((communicat\$4 or transfer\$4) near6 (device adj information))	USPAT; US-PGPUB; IBM_TDB	2004/09/14 14:10

25	15	(713/\$.ccls. and (guard near6 clock)) and (guard near6 clock)	USPAT; US-PGPUB; IBM TDB	2004/09/14 14:10
----	----	---	--------------------------------	------------------

L Number	Hits	Search Text	DB	Time stamp
1	30953	709/.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/09/14 16:41
2	2	709/.ccls. and (((device or module or apparatus)near3 configur\$7)with controller) with (((serial or usb or "1394" or RS-232 or five\$wire or (twisted adj pair))near4 interface)))	USPAT; US-PGPUB; IBM_TDB	2004/09/14 16:42
3	472	709/.ccls. and ((communicat\$4 near6 controller)with device)	USPAT	2004/09/14 16:37
4	820	709/.ccls. and ((communicat\$4 near6 controller)with device)	USPAT; US-PGPUB; IBM_TDB	2004/09/14 16:38
5	0	(709/.ccls. and ((communicat\$4 near6 controller)with device)) and ((verif\$7 adj3 tim\$4)with clock)	USPAT; US-PGPUB; IBM_TDB	2004/09/14 16:43
6	0	(709/.ccls. and ((communicat\$4 near6 controller)with device)) and (guard adj signal)	USPAT; US-PGPUB; IBM_TDB	2004/09/14 16:40
7	2	709/.ccls. and (guard adj signal)	USPAT; US-PGPUB; IBM_TDB	2004/09/14 16:41
8	20752	713/.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/09/14 16:41
9	3	713/.ccls. and (guard adj signal)	USPAT; US-PGPUB; IBM_TDB	2004/09/14 16:41
10	4	713/.ccls. and (((device or module or apparatus)near3 configur\$7)with controller) with (((serial or usb or "1394" or RS-232 or five\$wire or (twisted adj pair))near4 interface)))	USPAT; US-PGPUB; IBM_TDB	2004/09/14 16:42
11	31	713/.ccls. and ((verif\$7 adj3 tim\$4)with clock)	USPAT; US-PGPUB; IBM_TDB	2004/09/14 16:44
12	2	(709/.ccls. and ((communicat\$4 near6 controller)with device)) and ((verif\$7 near33 tim\$4)with clock)	USPAT; US-PGPUB; IBM_TDB	2004/09/14 16:44
13	0	(709/.ccls. and ((communicat\$4 near6 controller)with device)) and ((verif\$7 near3 tim\$4)with clock)	USPAT; US-PGPUB; IBM_TDB	2004/09/14 16:44
14	0	(709/.ccls. and ((communicat\$4 near6 controller)with device)) and ((verif\$7 near3 tim\$4)with clock)	USPAT; US-PGPUB; IBM_TDB	2004/09/14 16:44
15	57	713/.ccls. and ((verif\$7 near3 tim\$4)with clock)	USPAT; US-PGPUB; IBM_TDB	2004/09/14 16:44
16	3	(713/.ccls. and ((verif\$7 near3 tim\$4)with clock)) and (analysis same clock)	USPAT; US-PGPUB; IBM_TDB	2004/09/14 16:45

-	1	713/\$.ccls. and (((voltage or power or supply)near3(regulat\$4 or control\$4))same (((serial or "1394" or usb or rs232)near6 interface)same((five or four)adj (line or signal or I/O))))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 16:36
-	74	713/\$.ccls. and (vid or (voltage adj identifier))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 16:38
-	1	(acknowledg\$5 near6 (clock adj3 frequency))same (data near6 ((twice or double)adj3 frequency))	USPAT; US-PGPUB; IBM_TDB	2004/06/07 17:05
-	0	(acknowledg\$5 near6 (clock adj3 frequency))same (data near6 ((twice or double)adj3 frequency))	EPO; JPO; DERWENT	2004/06/07 16:58
-	0	(acknowledg\$5 with (clock adj3 frequency))same (data near6 ((twice or double)adj3 frequency))	EPO; JPO; DERWENT	2004/06/07 16:58
-	1	(acknowledg\$5 with (clock adj3 frequency))same (data near6 ((twice or double)adj3 frequency))	USPAT; US-PGPUB; IBM_TDB	2004/06/07 16:58
-	1	(acknowledg\$5 with (clock adj3 frequency))and (data near6 ((twice or double)adj3 frequency))	USPAT; US-PGPUB; IBM_TDB	2004/06/07 17:00
-	0	(acknowledg\$5 with (clock adj3 frequency))and (data near6 ((twice or double)adj3 frequency))	EPO; JPO; DERWENT	2004/06/07 17:00
-	1	(acknowledg\$5 with (clock adj3 frequency))and (data with ((twice or double)adj3 frequency))	USPAT; US-PGPUB; IBM_TDB	2004/06/07 17:02
-	2	((acknowledg\$5 or ack)with (clock adj3 frequency))and (data with ((twice or double)adj3 frequency))	USPAT; US-PGPUB; IBM_TDB	2004/06/07 17:05
-	0	((acknowledg\$5 or ack)with (clock adj3 frequency))and (data with ((twice or double)adj3 frequency))	EPO; JPO; DERWENT	2004/06/07 17:05
-	1	((acknowledg\$5 or ack) near6 (clock adj3 frequency))same (data near6 ((twice or double)adj3 frequency))	USPAT; US-PGPUB; IBM_TDB	2004/06/07 17:05
-	3248	(data adj6 (frequency or (clock adj2 (speed or rate))))near6 (device or controller)	USPAT; US-PGPUB; IBM_TDB	2004/08/26 08:01
-	1450	((data adj6 (frequency or (clock adj2 (speed or rate))))near6 (device or controller)) and (tim\$4 near5 (verifi\$6 or adjust\$4 or analysis or anal\$6 or determin\$6))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 10:48
-	96	((data adj6 (frequency or (clock adj2 (speed or rate))))near6 (device or controller)) same (tim\$4 near5 (verifi\$6 or adjust\$4 or analysis or anal\$6 or determin\$6))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 12:05
-	14	((data adj6 (frequency or (clock adj2 (speed or rate))))near6 (device or controller)) same ((tim\$4 near5 (verifi\$6 or adjust\$4 or analysis or anal\$6 or determin\$6))with clock)	USPAT; US-PGPUB; IBM_TDB	2004/08/26 08:09
-	0	((serial or usb or "1394")near6 communicat\$6)near6 device)with controller	USPAT; US-PGPUB; IBM_TDB	2004/08/26 08:12
-	18	((data adj6 (frequency or (clock adj2 (speed or rate))))near6 (device or controller)) with (peripheral adj (device or apparatus))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 08:23
-	32	((data adj6 (frequency or (clock adj2 (speed or rate))))near6 (device or controller)) and ((voltage adj identifier) or vid)	USPAT; US-PGPUB; IBM_TDB	2004/08/26 08:28
-	113	((voltage adj identifier) or VID)adj4 (clock or guard or ack or data)	USPAT; US-PGPUB; IBM_TDB	2004/08/26 09:26

-	15	((voltage adj identifier) or VID)adj4 (clock or guard or ack or data)) and	USPAT; US-PGPUB; IBM_TDB	2004/08/26 08:44
-	22	((device or apparatus)near5 controller) ((voltage adj identifier) or VID)adj4 (clock or guard or ack or data)) and	USPAT; US-PGPUB; IBM_TDB	2004/08/26 08:30
-	0	((device or apparatus)with controller) ((serial or usb or "1394")near2 interface)same((voltage adj identifier) or	USPAT; US-PGPUB; IBM_TDB	2004/08/26 08:37
-	7	VID)adj4 (clock or guard or ack or data) ((serial or usb or "1394")near2 interface)and((voltage adj identifier) or	USPAT; US-PGPUB; IBM_TDB	2004/08/26 08:37
-	16	VID)adj4 (clock or guard or ack or data) ((voltage adj identifier) or VID)adj4 (clock or guard or ack or data)	EPO; JPO; DERWENT	2004/08/26 08:43
-	191	((power or voltage) near4 (manag\$5 or control\$4 or conserv\$6 or consum\$6 or utiliz\$6)) same ((serial or usb or "1394")near2 interface)	EPO; JPO; DERWENT	2004/08/26 08:42
-	191	((power or voltage or supply) near4 (manag\$5 or control\$4 or conserv\$6 or consum\$6 or utiliz\$6)) same ((serial or usb or "1394")near2 interface)	EPO; JPO; DERWENT	2004/08/26 08:42
-	0	((power or voltage or supply) near4 (manag\$5 or control\$4 or conserv\$6 or consum\$6 or utiliz\$6)) with ((serial or usb or "1394")near2 interface)) and	EPO; JPO; DERWENT	2004/08/26 08:43
-	9	((voltage adj identifier) or VID)adj4 (clock or guard or ack or data)) ((power or voltage or supply) near4 (manag\$5 or control\$4 or conserv\$6 or consum\$6 or utiliz\$6)) with ((serial or usb or "1394")near2 interface)) and	EPO; JPO; DERWENT	2004/08/26 09:00
-	110	((device or apparatus)near5 controller) ((power or voltage or supply) near4 (manag\$5 or control\$4 or conserv\$6 or consum\$6 or utiliz\$6)) with ((serial or usb or "1394")near2 interface)	EPO; JPO; DERWENT	2004/08/26 09:01
-	0	((power or voltage or supply) near4 (manag\$5 or control\$4 or conserv\$6 or consum\$6 or utiliz\$6)) with ((serial or usb or "1394")near2 interface)) and	EPO; JPO; DERWENT	2004/08/26 09:04
-	0	(synchroniz\$6 with pattern) ((power or voltage or supply) near4 (manag\$5 or control\$4 or conserv\$6 or consum\$6 or utiliz\$6)) with ((serial or usb or "1394")near2 interface)) and	EPO; JPO; DERWENT	2004/08/26 09:01
-	643	(synchroniz\$6 same pattern) ((power or voltage or supply) near4 (manag\$5 or control\$4 or conserv\$6 or consum\$6 or utiliz\$6)) with ((serial or usb or "1394")near2 interface)	USPAT; US-PGPUB; IBM_TDB	2004/08/26 09:21
-	0	((power or voltage or supply) near4 (manag\$5 or control\$4 or conserv\$6 or consum\$6 or utiliz\$6)) with ((serial or usb or "1394")near2 interface)) and	EPO; JPO; DERWENT	2004/08/26 09:04
-	18	(synchroniz\$8 with pattern) (((power or voltage or supply) near4 (manag\$5 or control\$4 or conserv\$6 or consum\$6 or utiliz\$6)) with ((serial or usb or "1394")near2 interface)) and	USPAT; US-PGPUB; IBM_TDB	2004/08/26 09:04
-	1	(pattern near5 (recogni\$7 or identif\$7 or detect\$4))) and (synchroniz\$8) (((power or voltage or supply) near4 (manag\$5 or control\$4 or conserv\$6 or consum\$6 or utiliz\$6)) with ((serial or usb or "1394")near2 interface)) and ((bit adj pattern) near5 (recogni\$7 or identif\$7 or detect\$4)))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 09:06

-	31	((power or voltage or supply) near4 (manag\$5 or control\$4 or conserv\$6 or consum\$6 or utiliz\$6)) with ((serial or usb or "1394")near2 interface)) and (pattern near5 (recogni\$7 or identif\$7 or detect\$4))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 09:12
-	273	synchroniz\$8 with ((bit adj pattern) near5 (recogni\$7 or identif\$7 or detect\$4))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 11:04
-	0	(synchroniz\$8 with ((bit adj pattern) near5 (recogni\$7 or identif\$7 or detect\$4))) same ((serial or usb or "1394")near2 interface)	USPAT; US-PGPUB; IBM_TDB	2004/08/26 09:14
-	15	(synchroniz\$8 with ((bit adj pattern) near5 (recogni\$7 or identif\$7 or detect\$4))) and ((serial or usb or "1394")near2 interface)	USPAT; US-PGPUB; IBM_TDB	2004/08/26 09:19
-	16	(synchroniz\$8 with ((bit adj pattern) near5 (recogni\$7 or identif\$7 or detect\$4))) and ((serial or usb or "1394" or RS-232)near2 interface)	USPAT; US-PGPUB; IBM_TDB	2004/08/26 09:20
-	34255	((serial or usb or "1394" or RS-232 or five\$wire or (twisted adj pair))near4 interface)	USPAT; US-PGPUB; IBM_TDB	2004/08/26 11:56
-	13608	((((serial or usb or "1394" or RS-232 or five\$wire or (twisted adj pair))near4 interface)) and ((power or voltage or supply) near4 (manag\$5 or control\$4 or conserv\$6 or consum\$6 or utiliz\$6))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 09:39
-	11	(((((serial or usb or "1394" or RS-232 or five\$wire or (twisted adj pair))near4 interface)) and ((power or voltage or supply) near4 (manag\$5 or control\$4 or conserv\$6 or consum\$6 or utiliz\$6))) and (synchroniz\$8 with ((bit adj pattern) near5 (recogni\$7 or identif\$7 or detect\$4))))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 09:27
-	6642	(((((serial or usb or "1394" or RS-232 or five\$wire or (twisted adj pair))near4 interface)) and ((power or voltage or supply) near4 (manag\$5 or control\$4 or conserv\$6 or consum\$6 or utiliz\$6))) and (tim\$4 near5 (verifi\$6 or adjust\$4 or analysis or anal\$6 or determin\$6))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 09:25
-	3	(((((serial or usb or "1394" or RS-232 or five\$wire or (twisted adj pair))near4 interface)) and ((power or voltage or supply) near4 (manag\$5 or control\$4 or conserv\$6 or consum\$6 or utiliz\$6))) and (tim\$4 near5 (verifi\$6 or adjust\$4 or analysis or anal\$6 or determin\$6))) and (((voltage adj identifier) or VID)adj4 (clock or guard or ack or data))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 09:41
-	20	(((((serial or usb or "1394" or RS-232 or five\$wire or (twisted adj pair))near4 interface)) and ((power or voltage or supply) near4 (manag\$5 or control\$4 or conserv\$6 or consum\$6 or utiliz\$6))) and (synchroniz\$8 same ((bit adj pattern) near5 (recogni\$7 or identif\$7 or detect\$4))))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 09:40
-	1479	(((((serial or usb or "1394" or RS-232 or five\$wire or (twisted adj pair))near4 interface)) and ((power or voltage or supply) near4 (manag\$5 or control\$4 or conserv\$6 or consum\$6 or utiliz\$6))) and (link near3 (establish\$5 or set\$5 or synchroniz\$8))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 09:39

-	798	(((((serial or usb or "1394" or RS-232 or five\$wire or (twisted adj pair))near4 interface)) and ((power or voltage or supply) near4 (manag\$5 or control\$4 or conserv\$6 or consum\$6 or utiliz\$6))) and (tim\$4 near5 (verifi\$6 or adjust\$4 or analysis or anal\$6 or determin\$6))) and (link near3 (establish\$5 or set\$5 or synchroniz\$8))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 09:39
-	2230	(((((serial or usb or "1394" or RS-232 or five\$wire or (twisted adj pair))near4 interface)) same (link near3 (establish\$5 or set\$5 or synchroniz\$8))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 09:39
-	186	(((((serial or usb or "1394" or RS-232 or five\$wire or (twisted adj pair))near4 interface)) same (link near3 (establish\$5 or set\$5 or synchroniz\$8))) and ((power or voltage or supply) near4 (manag\$5 or control\$4 or conserv\$6 or consum\$6 or utiliz\$6))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 09:40
-	1	(((((serial or usb or "1394" or RS-232 or five\$wire or (twisted adj pair))near4 interface)) same (link near3 (establish\$5 or set\$5 or synchroniz\$8))) and ((power or voltage or supply) near4 (manag\$5 or control\$4 or conserv\$6 or consum\$6 or utiliz\$6))) and (synchroniz\$8 same ((bit adj pattern) near5 (recogni\$7 or identif\$7 or detect\$4)))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 09:40
-	0	(((((serial or usb or "1394" or RS-232 or five\$wire or (twisted adj pair))near4 interface)) same (link near3 (establish\$5 or set\$5 or synchroniz\$8))) and ((power or voltage or supply) near4 (manag\$5 or control\$4 or conserv\$6 or consum\$6 or utiliz\$6))) and (((voltage adj identifier) or VID)adj4 (clock or guard or ack or data))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 09:41
-	8	(((((serial or usb or "1394" or RS-232 or five\$wire or (twisted adj pair))near4 interface)) and (((voltage adj identifier) or VID)adj4 (clock or guard or ack or data))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 09:42
-	1	(serial adj (VID or (voltage adj identifier)))near3 interface	USPAT; US-PGPUB; IBM_TDB	2004/08/26 10:45
-	1	(serial adj (VID or (voltage adj identifier)))near3 interface	EPO; JPO; DERWENT	2004/08/26 09:44
-	1	((serial or usb or "1394" or RS-232)near2 interface)with (VID or (voltage adj identifier))	EPO; JPO; DERWENT	2004/08/26 10:19
-	5	((serial or usb or "1394" or RS-232)near2 interface)with (VID or (voltage adj identifier))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 13:12
-	89	((((synchroniz\$7 or synchronous)near4 (communicati\$4 or transfer\$4))near3 controller)with (device or peripheral))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 10:50
-	5	(((((synchroniz\$7 or synchronous)near4 (communicati\$4 or transfer\$4))near3 controller)with (device or peripheral)) and ((verif\$7 or identif\$7 or detect\$4)near5 (tim\$5 or clock or rate or speed))) and ((serial or usb or "1394" or RS-232)near2 interface)	USPAT; US-PGPUB; IBM_TDB	2004/08/26 10:20
-	29	((((synchroniz\$7 or synchronous)near4 (communicati\$4 or transfer\$4))near3 controller)with (device or peripheral)) and ((verif\$7 or identif\$7 or detect\$4)near5 (tim\$5 or clock or rate or speed))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 10:44

-	0	(((((synchroniz\$7 or synchronous)near4 (communicati\$4 or transfer\$4))near3 controller)with (device or peripheral)) and ((verif\$7 or identif\$7 or detect\$4)near5 (tim\$5 or clock or rate or speed)))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 10:44
-	24	(((((synchroniz\$7 or synchronous)near4 (communicati\$4 or transfer\$4))near3 controller)with (device or peripheral))	EPO; JPO; DERWENT	2004/08/26 10:44
-	0	(((((synchroniz\$7 or synchronous)near4 (communicati\$4 or transfer\$4))near3 controller)with (device or peripheral)) and ((serial near5 (VID or (voltage adj identifier)))near3 interface)	USPAT; US-PGPUB; IBM_TDB	2004/08/26 10:45
-	0	(((((synchroniz\$7 or synchronous)near4 (communicati\$4 or transfer\$4))near3 controller)with (device or peripheral)) and ((serial near5 (VID or (voltage adj identifier)))near3 interface)	USPAT; US-PGPUB; IBM_TDB	2004/08/26 10:46
-	0	(((((synchroniz\$7 or synchronous)near4 (communicati\$4 or transfer\$4))near3 controller)with (device or peripheral)) and (((VID or (voltage adj identifier)))near3 interface)	USPAT; US-PGPUB; IBM_TDB	2004/08/26 10:46
-	0	(((((synchroniz\$7 or synchronous)near4 (communicati\$4 or transfer\$4))near3 controller)with (device or peripheral)) and (((VID or (voltage adj identifier)))near3 interface)	USPAT; US-PGPUB; IBM_TDB	2004/08/26 10:46
-	0	(((((synchroniz\$7 or synchronous)near4 (communicati\$4 or transfer\$4))near3 controller)with (device or peripheral)) and (((VID or (voltage adj identifier)))near3 interface)	USPAT; US-PGPUB; IBM_TDB	2004/08/26 10:46
-	0	(((((synchroniz\$7 or synchronous)near4 (communicati\$4 or transfer\$4))near3 controller)with (device or peripheral)) and (((VID or (voltage adj identifier)))with interface)	USPAT; US-PGPUB; IBM_TDB	2004/08/26 10:46
-	0	(((((synchroniz\$7 or synchronous)near4 (communicati\$4 or transfer\$4))near3 controller)with (device or peripheral)) and (((VID or (voltage adj identifier)))with interface)	USPAT; US-PGPUB; IBM_TDB	2004/08/26 12:05
-	1332	((data adj6 (frequency or (clock adj2 (speed or rate))))near6 (device or controller)) and ((clock or rate or speed or tim\$4) adj4 (verifi\$6 or adjust\$4 or analysis or anal\$6 or determin\$6))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 11:04
-	103	((data adj6 (frequency or (clock adj2 (speed or rate))))near6 (device or controller)) same ((clock or rate or speed or tim\$4) adj4 (verifi\$6 or adjust\$4 or analysis or anal\$6 or determin\$6))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 10:49
-	0	((data adj6 (frequency or (clock adj2 (speed or rate))))near6 (device or controller)) same ((clock or rate or speed or tim\$4) adj4 (verifi\$6 or adjust\$4 or analysis or anal\$6 or determin\$6)) and (((synchroniz\$7 or synchronous)near4 (communicati\$4 or transfer\$4))near3 controller)with (device or peripheral))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 10:50

-	7	((data adj6 (frequency or (clock adj2 (speed or rate))))near6 (device or controller)) same ((clock or rate or speed or tim\$4) adj4 (verifi\$6 or adjust\$4 or analysis or anal\$6 or determin\$6))) and ((synchroniz\$7 or synchronous)near4 (communicati\$4 or transfer\$4))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 11:01
-	5277	((device or module or apparatus)near3 configur\$7)with controller	USPAT; US-PGPUB; IBM_TDB	2004/08/26 12:07
-	0	((device or module or apparatus)near3 configur\$7)with controller) and (synchroniz\$8 with ((bit adj pattern) near5 (recogni\$7 or identif\$7 or detect\$4)))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 11:57
-	1616	((device or module or apparatus)near3 configur\$7)with controller) and ((clock or rate or speed or tim\$4) adj4 (verifi\$6 or adjust\$4 or analysis or anal\$6 or determin\$6))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 11:06
-	698	((device or module or apparatus)near3 configur\$7)with controller) and ((serial or usb or "1394" or RS-232 or five\$wire or (twisted adj pair))near4 interface))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 11:06
-	269	((device or module or apparatus)near3 configur\$7)with controller) and ((serial or usb or "1394" or RS-232 or five\$wire or (twisted adj pair))near4 interface))) and ((clock or rate or speed or tim\$4) adj4 (verifi\$6 or adjust\$4 or analysis or anal\$6 or determin\$6))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 11:07
-	2	((device or module or apparatus)near3 configur\$7)with controller) with ((serial or usb or "1394" or RS-232 or five\$wire or (twisted adj pair))near4 interface))) and ((clock or rate or speed or tim\$4) adj4 (verifi\$6 or adjust\$4 or analysis or anal\$6 or determin\$6))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 12:06
-	17	((device or module or apparatus)near3 configur\$7)with controller) with ((serial or usb or "1394" or RS-232 or five\$wire or (twisted adj pair))near4 interface))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 11:07
-	57186	455/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/08/26 11:55
-	1410	455/\$.ccls. and ((serial or usb or "1394" or RS-232 or five\$wire or (twisted adj pair))near4 interface)	USPAT; US-PGPUB; IBM_TDB	2004/08/26 11:56
-	476	(455/\$.ccls. and ((serial or usb or "1394" or RS-232 or five\$wire or (twisted adj pair))near4 interface)) and ((clock or rate or speed or tim\$4) adj4 (verifi\$6 or adjust\$4 or analysis or anal\$6 or determin\$6))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 11:57
-	0	((455/\$.ccls. and ((serial or usb or "1394" or RS-232 or five\$wire or (twisted adj pair))near4 interface)) and ((clock or rate or speed or tim\$4) adj4 (verifi\$6 or adjust\$4 or analysis or anal\$6 or determin\$6))) and (synchroniz\$8 with ((bit adj pattern) near5 (recogni\$7 or identif\$7 or detect\$4)))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 11:58
-	3	((455/\$.ccls. and ((serial or usb or "1394" or RS-232 or five\$wire or (twisted adj pair))near4 interface)) and ((clock or rate or speed or tim\$4) adj4 (verifi\$6 or adjust\$4 or analysis or anal\$6 or determin\$6))) and (synchroniz\$8 same ((bit adj pattern) near5 (recogni\$7 or identif\$7 or detect\$4)))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 11:58

-	0	(455/\$.ccls. and ((serial or usb or "1394" or RS-232 or five\$wire or (twisted adj pair))near4 interface)) and (((VID or (voltage adj identifier)))same interface)	USPAT; US-PGPUB; IBM_TDB	2004/08/26 12:05
-	411	((455/\$.ccls. and ((serial or usb or "1394" or RS-232 or five\$wire or (twisted adj pair))near4 interface)) and ((clock or rate or speed or tim\$4) adj4 (verifi\$6 or adjust\$4 or analysis or anal\$6 or determin\$6))) and (tim\$4 near5 (verifi\$6 or adjust\$4 or analysis or anal\$6 or determin\$6))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 12:06
-	411	((455/\$.ccls. and ((serial or usb or "1394" or RS-232 or five\$wire or (twisted adj pair))near4 interface)) and ((clock or rate or speed or tim\$4) adj4 (verifi\$6 or adjust\$4 or analysis or anal\$6 or determin\$6))) and (tim\$4 near5 (verifi\$6 or adjust\$4 or analysis or anal\$6 or determin\$6))) and ((clock or rate or speed or tim\$4) adj4 (verifi\$6 or adjust\$4 or analysis or anal\$6 or determin\$6))	USPAT; US-PGPUB; IBM_TDB	2004/08/26 12:06
-	14	((455/\$.ccls. and ((serial or usb or "1394" or RS-232 or five\$wire or (twisted adj pair))near4 interface)) and ((clock or rate or speed or tim\$4) adj4 (verifi\$6 or adjust\$4 or analysis or anal\$6 or determin\$6))) and (tim\$4 near5 (verifi\$6 or adjust\$4 or analysis or anal\$6 or determin\$6))) and ((clock or rate or speed or tim\$4) adj4 (verifi\$6 or adjust\$4 or analysis or anal\$6 or determin\$6))) and ((device or module or apparatus)near3 configur\$7)with controller)	USPAT; US-PGPUB; IBM_TDB	2004/08/26 12:07
-	1	("20040130366").pn.	USPAT; US-PGPUB; IBM_TDB	2004/08/26 13:12